

# BIBLIOGRAFIA

---

- [1] **R. A. Soref, J. P. Lorenzo**, *All Silicon Active and Passive Guided-Wave Components for  $\lambda=1.3\mu\text{m}$  and  $1.6\mu\text{m}$* , IEEE Journal of Quantum Electronics, vol. QE-22, no. 6, pp. 873-879, 1986
- [2] **M. Lipson**, *Guiding, Modulating, and Emitting Light on Silicon-Challenge and Opportunities*, Journal of Lightwave Technology, vol.23, no. 12, pp. 4222-4236, 2005
- [3] **A. Cutolo**, *Optoelettronica, ottica fotonica e laser*, McGraw-Hill, Milano, 1997
- [4] **R. G. Hunsperger**, *Integrated Optics: Theory and Technology*, Springer-Verlag-Berlin, 1995
- [5] **J. I. Pankove**, *Optical Process in Semiconductors*, Dover Publication Inc. 1975
- [6] **H. Taylor, A. Yariv**, *Guided Wave Optic*, Proceedings of the IEEE, vol. 62, no. 8, pp.1044-1060, 1974
- [7] **BeamPROP 5.1.1**, Physical Layer Division 200 Executive Blvd. Ossining, NY 10562
- [8] **O. Powell**, *Single-mode Condition for Silicon Rib Waveguides*, Journal of Lightwave Technology, vol. 20, no. 10, pp. 1851-1855, 2002
- [9] **S. P. Chan, C. E. Pong, S. T. Lim, G. T. Reed and V. M. N. Passaro**, *Single-mode and Polariaztion-Independent Silicon-on-Insulator Waveguides with Small Cross Section*, Journal of Lightwave Technology, vol. 23, no. 6, pp. 2103-2111, 2005
- [10] **A. Sakai, T. Fukazawa and T. Baba**, *Low Loss ultra-small branches in a silicon photonics wire waveguide*, IEICE Transactions on Electronics, vol. 77, pp. 1617-1619, 2000
- [11] **C.E. Pong, S. P. Chan, S. T. Lim, and G. T. Reed**, *Optical phase modulators for Mhz and Ghz modulation in silicon-on-insulator (SOI)*, Journal of Lightwave Technology, vol. 22, no. 6, pp. 1573-1582, 2004
- [12] **W. R. Headley, G. T. Reed, A. Liu, M. Paniccia, and S. Howe**, *Polarization Indipendent optical ring resonator on silicon-on-insulator*, Journal of Applied Physics, vol. 85, pp. 5523-5525, 2004

- [13] **S. P. Chan, V.M. N. Passaro, S.T. Lim, C. E. Png, and G. T. Reed**, *Characterization of integrated Braggs grating on SOI rib waveguides*, Proceedings of SPIE, vol. 5248, pp. 273-283, 2003
- [14] **O. Boyraz and B. Jalali**, *Demonstration of a silicon Raman laser*, Optics Express, vol. 12, pp. 5269-5273, 2004
- [15] **R. A. Soref, J. Schmindtchen, and K. Petermann**, *Large single-mode rib waveguide in Ge-Si and Si on-SiO<sub>2</sub>*, IEEE Journal of Quantum Electronics, vol. 27, no. 8, pp. 1971-1974, 1991
- [16] **J. Lousteau, D. Furniss, A. Seddon, T. M. Benson, A. Vukovic, and P. Sewell**, *The single-mode condition for silicon-on-insulator optical rib waveguides with large cross section*, Journal of Lightwave Technology, vol.22, no. 8, pp. 1923-1929, 2004
- [17] **S. P. Pogossian, L. Vescan, and A. Vonsovici**, *The Single-mode Condition for semiconductor rib waveguides with large cross section*, Journal of Lightwave Technology, vol. 16, no. 10, pp. 1851-1853, 1998
- [18] **G. T. Reed and A. P. Knights**, *Silicon Photonics: An Introduction*, Wiley, New York, 2004
- [19] **P. K. Tien**, *Light waves in thin films and integrated optics*, Applied Optics, vol. 10, 1971
- [20] **S-Miyanaga, M. Imai. T. Asakura**, *Radiation pattern of light scattering from the core region of dielectric-slab-optical waveguides*, IEEE Journal of Quantum Electronics, vol. 14, pp. 30-37, 1978
- [21] **D. G. Hall, G. H. Ames, R. W. Modavis**, *Surface-roughness-induced scattering in planar optical waveguide*, Journal of the Optical Society of America, vol. 72, p. 1821, 1982
- [22] **E. Palik**, *Handbook of Constant of Solids*, Academic Press Inc. 1985
- [23] **L. Pavesi** *Silicon Based Optical Waveguides and Photonic Device*, Supervisor M. Melchiorri, University of Trento, Physic Departement
- [24] **N. W. Ashcroft, N. D. Mermin**, *Solid State Physics*, Saunders College Publishing 1976
- [25] **Y. A. Vlasov and S. J. McNab**, *Losses in single-mode silicon-on-insulator strip waveguides and bends*, Optic Express, vol. 12, no. 8, p. 1622, 2004
- [26] **A. Rickman, G.T. Reed, B.L. Weiss and F.Namavar**, *Low-loss planar optical waveguides fabricated in SIMOX material*, IEEE Photonics Technology Letters, vol. 4, pp. 633-635, 1992
- [27] **A. Rickman, G. T. Reed**, *Silicon-on-insulator optical rib waveguides: loss, mode characteristics, bends and y-junctions*, IEEE Proc. Optoelectron, vol. 141, pp. 391-393, 1994
- [28] **T. Tsuchizawa, K. Yamada, H. Fukuda, T. Watanabe, J. Takahashi, M. Takahashi, T. Shoji**, *Microphotonics Devices Based on Silicon Microfabrication Technology* , IEEE Journal of Quantum Electronics, vol. 11, no. 1, p. 573, 2005

- [29] **K. Yamada, T. Tsuchizawa, J. Takahashi, E. Tamechika, M. Takahashi, S. Uchiyama, H. Fukuda, T. Shoji, S. Itabashi and H. Morita**, *Microphotonic Devices Based on Silicon Wire Waveguiding System*, IEICE Transactions on Electronics, vol. E87-C, pp. 351-358, 2004
- [30] **E. Cassan, S. Lardenois, D. Pascal, L. Vivine, M. Heitzmann, N. Bouzaida, L. Mollard, R. Orobitchouk, S. Laval**, *Intra-chip optical interconnects with compact and low-loss light distribution in silicon-on-insulator rib waveguides*, Interconnect technology Conference, Proceeding of IEEE, pp. 38-41, 2003
- [31] **T. W. Ang, G. T. Reed, A. Vonsovici**, *Grating couplers using silicon-on-insulator*, Proceedings of SPIE, vol. 3896, pp. 79-86, 1999
- [32] **T. W. Ang, G.T. Reed, A. Vonsovici**, *Blazed grating couplers in Unibond SOI*, Proceeding of SPIE vol. 3896, pp. 360-386, 1999
- [33] **C. Pollock and M. Lipson**, *Integrated Photonics*, Boston, MA, 2003
- [34] **M. Heiblum and J. Harris**, *Analysis of curved optical waveguides by conformal transformation*, IEEE Journal of Quantum Electronics, vol. QE-11, no. 2, pp. 75-83, Feb. 1975
- [35] **P. D. Trinh, S. Yegnanarayanan and B. Jalali**, *Guided-Wave, optical circuits in silicon-on insulator technology*, in Tech.Dig. Integrated Photonics Research Conf. Boston, MA, vol. 6, pp. 273-277, 1996
- [36] **T. E. Murphy, J. T. Hastings and H. I. Smith**, *Fabrication and characterization of narrow band Bragg-reflection filters in silicon-on-insulator ridge waveguides*, Journal of Lightwave Technology, vol. 19, no. 12, pp. 1938-1042, 2001
- [37] **A. Liu, R. Jones, L. Liao, D. Samara-Rubio, D. Rubin, O. Cohen, R. Nicolaescu and M. Paniccia**, *A high-speed silicon optical modulation based on a metal-oxide-semiconductor capacitor*, Nature, vol. 427, no. 6975, pp. 615-618, 2004
- [38] **G. Cocorullo, F. G. Della Corte, I. Rendina, C. Minarini, A. Rubino, E. Terzini**, *Amorphous silicon waveguides and light modulators for integrated photonics realised by low temperature plasma enhanced chemical vapour deposition*, Optics Letters, vol. 21, no. 24, pp. 2002-2004, 1996
- [39] **G. Cocorullo, F. G. Della Corte, R. De Rosa, I. Rendina, A. Rubino, E. Terzini**, *Amorphous silicon-based guided-wave passive and active devices for silicon integrated optoelectronics*, IEEE Journal of Quantum Electronics, vol. 4, no. 6, pp. 997-1001, 1998
- [40] **G. Cocorullo, F. G. Della Corte, I. Rendina, A. Rubino and E. Terzini**, *Thermo-optical Modulation at  $\lambda=1.5\mu\text{m}$  in an a-SiC-a-Si-a-SiC Planar Guided-Wave Structure* IEEE Photonics Technology Letters., vol. 8, no.7, pp. 900-902, 1996
- [41] **R. A. Street**, *Hydrogenated amorphous silicon*, R.A.Street Xerox Corporation, Palo Alto Research Center, 1991

- [42] **W. E. Spear, P. G. Le Comber**, *Solid State Communication*, vol. 17, p. 1193, 1975
- [43] **F. G. Della Corte and M. A. Nigro**, *Waveguide-Integrated Bipolar Electroabsorption Variable Attenuator Based on a-Si:H*, *IEEE Photonics Technology Letters*, 2006
- [44] **N. F. Mott, E. A. Davis**, *Electronics process in non crystalline materials*, Claredon Press, 1971
- [45] **G. D. Cody**, *The Optical Absorption Edge of a-Si:H*, *Semiconductor and semimetals*, vol. 21, J.I.Pankove ed. Academy Press, 1984
- [46] **H. F. Arrand, T.M. Benson, A. Loni, R. Arens-Fischer, M. Kruger, M. Thonissen, H. Luth, S. Kershaw**, *Novel liquid sensor based on porous silicon optical waveguides*, *IEEE Photonics Technology Letters*, vol. 10, p. 1467, 1998
- [47] **A. Ulhir**, *Bell Labs Technical Journal (USA)*, vol 35, p. 333 (1956)
- [48] **D. R. Turner**, *Journal of The Electrochemical Society (USA)*, vol 105, p. 402, 1968
- [49] **R. Nemming, G. Schwandt**, *Surface Science*, vol.4, p. 109, 1966
- [50] **L. T. Canham**, *Applied Physic Letters*, vol. 57, p. 1046, 1990
- [51] **L. T. Canham**, *Porous Silicon*, Ed. L.T. Canham, London, INSPEC, p. 38, 1997
- [52] **G. Benedetto, L. Boarino, N. Brunetto, A. M. Rossi, R. Spagnolo, G. Amato**, *Philosophical Magazine Letters*, vol. B76, p. 383, 1997
- [53] **A. G. Cullis, L. T. Canhan, P. D. J. Calcott**, *Applied Physic reviews*, vol. 82, p. 928, 1997
- [54] **A. M. Rossi, S. Borini, L. Boarino, G. Amato**, *Physica Status Solidi*, vol. 197, p. 284, 2003
- [55] **G. Ranieri**, *Scrittura Laser Diretta di Micropattern su Silicio Poroso*, tesi di Laurea in Ingegneria Elettronica, Università degli studi *Mediterranea* di Reggio Calabria, 2006
- [56] **FullWAVE 3.0.1** Physical Layer Division 200 Executive Blvd. Ossining, NY 10562
- [57] **BandSOLVE 1.3** Physical Layer Division 200 Executive Blvd. Ossining, NY 10562
- [58] **GratingMOD 1.1** Physical Layer Division 200 Executive Blvd. Ossining, NY 10562
- [59] **Rsoft Photonics CAD Layout 5.1.1** User Guid, Rsoft Design Group, Inc. Physical Layer Division, 200 Executive Blvd.Ossining,NY 10562
- [60] **R. Scarmozzino, A. Gopinath, R. Pregla, and S. Helfert**, *Numerical Techniques for Modeling Guided-Wave Photonic Devices*, *Journal of Selected Topics in Quantum Electronics*, vol. 6, p. 150, 2000
- [61] **R. Scarmozzino and R.M. Osgood**, *Comparison of finite-difference and Fourier-transform solutions of the parabolic wave equation with emphasis on integrated-optics applications*, *Journal of the Optical Society of America A*, vol. 8, p. 724, 1991

- [62] **G. R. Hadley**, *Wide-angle beam propagation using Pade approximant operators*, Optics Letters, vol. 17, p. 1426, 1992
- [63] **G. R. Hadley**, *Multistep method for wide-angle Beam Propagation*, Optics Letters, vol. 17, p. 1743, 1992
- [64] **H. Rao, R. Scarmozzino, and R. M. Osgood, Jr.**, *A bidirectional beam propagation method for multiple dielectric interfaces*, Photonics Technology Letters, vol. 11, p. 830, 1999
- [65] **W. P. Huang and C.L. Xu**, *Simulation of three-dimensional optical waveguides by a full-vector beam propagation method*, Journal of Quantum Electronics, vol. 29, p. 2639, 1993
- [66] **C. L. Xu, W. P. Huang, J. Chrostowski, and S. K. Chaudhuri**, *A full-vectorial beam propagation method for anisotropic waveguides*, Journal of Lightwave Technology, vol. 12, p. 1926, 1994
- [67] **L. Eldada, M. N. Ruberto, M. Levy, R. Scarmozzino, and R. M. Osgood, Jr.**, *Rapid Direct Fabrication of Active Electro-Optic Modulators in GaAs*, Journal of Lightwave Technology, vol. 12, p. 1588, 1994
- [68] **I. Ilic, R. Scarmozzino, R. M. Osgood, Jr., J. T. Yardley, K.W. Beeson, and M. J. McFarland**, *Modeling Multimode-Input Star Couplers in Polymers*, Journal of Lightwave Technology, vol. 12, p. 996, 1994
- [69] **R. Scarmozzino, R. M. Osgood, Jr., L. Eldada, J. T. Yardley, Y. Liu, J. Bristow, J. Stack, J. Rowlette, and Y. S. Liu**, *Design and Fabrication of Passive Optical Components for Multimode Parallel Optical Links*, SPIE Photonic West Meeting, San Jose, CA, vol. 3005, pp. 257-265, 1997
- [70] **M. C. Shih, M. Hu, M. B. Freiler, M. Levy, R. Scarmozzino, R. M. Osgood, Jr., I. W. Tao, and W. I. Wang**, *Fabrication of an InGaAs SQW Circular Ring Laser By Direct Laser Patterning*, Applied Physics Letters, vol. 66, p. 2608, 1995
- [71] **M. D. Feit and J. A. Fleck**, *Light propagation in graded index*, Optical Fibers, Applied Optics, vol. 17, p. 3990, 1978
- [72] **D. Yevick and B. Hermansson**, *Efficient beam propagation techniques*, IEEE Journal of Quantum Electronics, vol. 26, p. 109, 1990
- [73] **Y. Chung and N. Dagli**, *An assessment of finite difference beam propagation method*, IEEE Journal of Quantum Electronics, vol. 26, p. 1335, 1990
- [74] **G. R. Hadley**, *Transparent boundary condition for the beam propagation method*, Optics Letters, vol. 16, p. 624, 1992
- [75] **G. R. Hadley**, *Transparent boundary condition for the beam propagation method*, IEEE Journal of Quantum Electronics, vol. 28, p. 363, 1992

[76] **R. Clauberg** and **P. Von Allmen**, *Vectorial beam propagation method for integrated optics*, Electronics Letters, vol. 27, p. 654, 1991

[77] **J. C. Chen** and **S. Jungling**, *Computation of higher-order waveguide modes by the imaginary-distance beam propagation method*, Optical and Quantum Electronics, vol. 26, p. 8199, 1994